

REPAIR STATION CAPABILITY LISTING

GKN Aerospace, Chem-tronics, Inc.

AVIATION REPAIR DIVISION
1756 Weld Blvd.
El Cajon, CA 92020
FAA Repair Station Number C13R424L

LIMITED RATINGS				
RATING	MANUFACTURER	MAKE / MODEL	LIMITATIONS	APPLICABLE P/N
PowerPlant	Pratt & Whitney	PW1500G / PW1900G	Fan Hub Assembly. Limited to clean and FPI inspect in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	5305421
PowerPlant	Pratt & Whitney	PW1500/PW1900	HPC Rotor 1st Stage IBR (BLISK). Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	32A2001, 32A2411
PowerPlant	Pratt & Whitney	PW2000 Series	Compressor Fan Blades. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	1A9031, 1A9721, 1A9031-001, 1A9721-001, 1B6231, 1B6221, 1B6231-001, 1B6221-001, 1B6521, 1B6531, 1A9101, 1B6221CHR, 1B6221CHR, 1B6231CHR, 1B6231CHR
PowerPlant	Pratt & Whitney	PW4000 Series	Compressor Fan Blades. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	53A201, 53A201-001, 53A201-002, 53A201-003, 53A331-001, 52A121-001, 56A201-001, 53A331, 54A021, 54A821, 54A831, 55A221-001, 55A221-002, 55A221-003, 55A221-004, 56A521, 56A621, 56A631, 56A831, 57A821-001, 57A721, 57A721-001, 57A821, 57A821-001, 58A121, 55A231, 57A731, 57A831, 58A131, 55A231-001, 55A231-002.
PowerPlant	Pratt & Whitney	GP7000	Compressor Fan Blades. Limited to repair in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	5700531, 5702931
PowerPlant	General Electric	CF34	Compressor Fan Blades. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	4114T15P02, 4114T31G01.

REPAIR STATION CAPABILITY LISTING

GKN Aerospace, Chem-tronics, Inc.

AVIATION REPAIR DIVISION
1756 Weld Blvd.
El Cajon, CA 92020
FAA Repair Station Number C13R424L

LIMITED RATINGS				
RATING	MANUFACTURER	MAKE / MODEL	LIMITATIONS	APPLICABLE P/N
PowerPlant	General Electric	CF6 -6/-50/-80	Compressor Fan Blades. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	9211M73P02, 9211M73P04, 9211M73P06, 9211M73P07, 9267M28P05, 9267M28P06, 9267M28P07, 9267M28P09, 9267M28P10, 1277M30P06, 1338M51P02, 1338M51P03, 1338M51P05, 1338M51P01, 1782M89P01, 1782M89P02, 1782M89P03, 1782M89P04, 1782M89P05, 1782M89P06, 1782M89P07, 2621M21P01, 2621M21P02, 2621M21P03, 2621M21P04, 1338M51P06, 2795M31P01, 2795M31P02, 2795M31P03, 2795M31P04, 2795M31P05, 2795M31P06, 1782M89P08
PowerPlant	CFMI	CFM56-2/3/5/7	Compressor Fan Blades. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	301-291-938-0, 301-291-939-0, 301-291-941-0, 301-291-942-0, 301-291-947-0, 301-291-948-0, 336-007-712-0, 336-007-713-0, 336-007-723-0, 336-007-724-0, 336-007-733-0, 336-007-734-0, 336-007-735-0, 336-007-736-0, 336-007-737-0, 336-007-738-0, 336-007-739-0, 336-007-740-0, 336-007-741-0, 336-007-742-0, 336-007-743-0, 336-007-744-0, 336-007-745-0, 336-007-746-0, 336-007-747-0, 336-007-748-0, 337-000-114-0, 337-162-504-0, 337-162-505-0, 337-162-506-0, 338-002-113-0, 338-002-114-0, 340-001-022-0, 340-001-026-0, 340-001-027-0, 340-001-028-0, 340-001-029-0, 340-001-036-0, 340-001-037-0, 340-001-038-0, 340-001-039-0, 340-161-302-0, 340-161-303-0, 340-161-304-0, 335-088-901-0, 335-088-902-0, 335-088-903-0, 335-088-904-0, 335-088-951-0, 336-083-801-0, 336-083-803-0, 336-083-806-0, 336-083-807-0, 336-083-808-0, 336-083-809-0, 336-083-810-0, 336-083-811-0, 338-107-501-0, 338-107-502-0, 337-177-001-0, 337-204-701-0, 305-433-401-0, 1285M39P01, 1590M21P01, 1663M24P01, 1663M24P02, 1663M24P03, 1663M24P04, 1663M24P05, 9527M99P08, 9527M99P09, 9527M99P10, 9527M99P11.
PowerPlant	CFMI	CFM56-7	Fan Blade (FB) Platform. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	340-001-814-0, 340-001-816-0, 340-001-817-0

REPAIR STATION CAPABILITY LISTING

GKN Aerospace, Chem-tronics, Inc.

AVIATION REPAIR DIVISION
 1756 Weld Blvd.
 El Cajon, CA 92020
 FAA Repair Station Number C13R424L

LIMITED RATINGS				
RATING	MANUFACTURER	MAKE / MODEL	LIMITATIONS	APPLICABLE P/N
PowerPlant	CFMI	CFM56-5B	Compressor Fan Discs. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	338-001-503-0, 338-001-504-0, 338-001-505-0
PowerPlant	CFMI	CFM56-7B	Compressor Fan Discs. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	340-000-410-0, 340-000-415-0, 340-000-420-0, 340-000-471-0, 340-000-472-0, 340-000-473-0, 340-000-474-0, 340-000-475-0, 340-000-485-0, 340-000-486-0, 340-000-490-0
PowerPlant	CFMI	CFM LEAP-1A	LEAP 1A Platform. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data	2576M82G01 2718M02G01
PowerPlant	CFMI	CFM LEAP-1B	LEAP 1B Platform. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data	2620M62G01 2620M62G02 2620M62G03
PowerPlant	CFMI	CFM LEAP-1A	LEAP 1A Fan Blade. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data	362-040-908-0 362-040-909-0 362-040-913-0
PowerPlant	CFMI	CFM LEAP-1B	LEAP 1B Fan Blade. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data	364-040-902-0 364-040-904-0 364-040-907-0 364-040-909-0 364-040-910-0

REPAIR STATION CAPABILITY LISTING

GKN Aerospace, Chem-tronics, Inc.

AVIATION REPAIR DIVISION
1756 Weld Blvd.
El Cajon, CA 92020
FAA Repair Station Number C13R424L

LIMITED RATINGS				
RATING	MANUFACTURER	MAKE / MODEL	LIMITATIONS	APPLICABLE P/N
PowerPlant	Rolls Royce	RB-211-535-E4	Compressor Fan Blades. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	UL16135, UL16182, UL29511, UL16171, UL19643, UL20044, UL20132, UL20616, UL21345, UL24525, UL24528, UL24530, UL24532, UL24534, UL22286, UL23122, UL27992, UL29556, UL37090, UL36992, UL28601, UL30817, UL30933, UL33707, UL37272, UL37276, UL28602, UL30819, UL30935, UL33709, UL37274, UL37278, UL38029, UL38032, UL38373, UL38377, UL38375, UL38379, UL33588, UL33592, FW12309, FW12308, FW11185, FW11180, FW12376, UL16172, FW12529, FW12371, FW12368, FW12366, FW12367, FW12369, FW12372, FW12373, FW12374, FW12375, FW12378, FW12377, FW12379.
PowerPlant	Rolls Royce	RB-211-535E4	Compressor Fan Discs. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	UL16194, UL21343, UL24536
PowerPlant	Rolls Royce	RB-211-535E4	Annulus Fillers. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	UL16160, UL16208, UL35848, UL35853, UL38852, UL38855, UL39738, FW61408.
PowerPlant	Rolls Royce	RB211-Trent 800 Series	Annulus Fillers. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	FK21221, FW32707
PowerPlant	Rolls Royce	RB211-Trent 800 Series	Compressor Fan Blades. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	FW23552, FK23750, FK25975, FK25548, FK26757, FK30838, FK30840, FK30842, FW12960, FW12961, FW12962, FW13175, FW22127, FW22128, FW22129, FW21421, FW21422, FW21423, FW21424, FW18548, FK21221, FK22216, FK13925, FW29481, FW29479.

REPAIR STATION CAPABILITY LISTING

GKN Aerospace, Chem-tronics, Inc.

AVIATION REPAIR DIVISION
1756 Weld Blvd.
El Cajon, CA 92020
FAA Repair Station Number C13R424L

LIMITED RATINGS				
RATING	MANUFACTURER	MAKE / MODEL	LIMITATIONS	APPLICABLE P/N
PowerPlant	International Aero Engines (IAE)	V2500	Annulus Fillers. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	5A0353, 5A6533, 5A1638, 5A1459, 5A1611, 5A1710, 5A1750, 5A1752, 5A1753, 5A1854
PowerPlant	International Aero Engines (IAE)	V2500	Compressor Fan Blades. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	6A3494, 6A3971, 6A4700, 6A6521, 6A7614, 6A7655, 6A5485, 6A6519, 6A7403, 6A7656, 6A7649, 6A7650, 6A7651, 6A7652, 6A7653, 6A7654, 6A7458, 6A2787, 6A5454, 6A5980, 6A5981, 6A3495, 6A7613, 6A5980R, 6A7658, 5R0091, 5R7105, 5R0023, 5R0043,
PowerPlant	International Aero Engines (IAE)	V2500	Compressor Fan Discs. Limited to inspect, repair and overhaul in accordance with manufacturer's maintenance manual, air carrier's maintenance manual, and/or FAA approved data.	5A0269, 5A0337, 5A1757, 5A1948, 5A0271, 5A0338, 5A1758, 5A1949



U.S. Department
of Transportation
**Federal Aviation
Administration**

San Diego Flight Standards District Office

9665 Granite Ridge Drive
Suite 200
San Diego, CA 92123
(858) 810-2626
(858) 810-2637 FAX

September 3, 2026

Mrs. Patricia Jones
Director of Quality Assurance
GKN Aerospace, Chemtronics, Inc
San Diego, CA 92020

Dear Mrs. Jones,

This office has completed our review of the submitted change to your Capabilities List dated September 1, 2026, and have found it acceptable. This office has retained a copy of this revision for our files.

Should you have any questions regarding this matter I can be reached at (858) 810-2616. My office hours are Tuesday through Friday from 0600 to 1630.

Sincerely,

Thomas Shaw
Principal Maintenance Inspector